

BELIZE NATIONAL STANDARD

BZS 7: 1999

BELIZE NATIONAL STANDARD SPECIFICATION FOR BISCUITS

**BBS
BELIZE BUREAU OF STANDARDS
#53 Regent Street
P.O. Box 1647
Belize City, Belize
CENTRAL AMERICA**

January 1999

IMPORTANT NOTICE

Belize Standards are subject to periodic review; and revisions will be published from time to time. If you wish to be notified of the next revision complete and return this label to:

BELIZE BUREAU OF STANDARDS
#53 REGENT STREET
P.O. BOX 1647
BELIZE CITY
BELIZE, C.A.

DETACH HERE

THIS IS YOUR MAILING LABEL. PLEASE PRINT CLEARLY IN INK OR TYPE FULL ADDRESS

BZS STANDARD

Organization:

Individual:

Title or Department:

Address:

**BELIZE NATIONAL STANDARD
SPECIFICATION FOR BISCUITS**

Committee Representation

The preparation of this standard for the Standards Advisory Council established under the Standards Act 1992, was carried out under the supervision of the Bureau's Technical Committee for Food and Food Related Products, which at the time comprised of the following members:

TECHNICAL COMMITTEE

CHAIRMAN

Mr. Douglas Fairweather

REPRESENTING

Personal Capacity

MEMBERS

Mr. Celestino Carracedo

REPRESENTING

Belize Mills Limited

Dr. Michael DeSheild

Ministry of Agriculture and
Fisheries

SECRETARY

Ms. Lisa Clother
Belize Bureau of Standards

CONTENT

SECTION	PAGE
0 FOREWORD	4
1 SCOPE	4
2 DEFINITIONS	4
3 REQUIREMENTS FOR INGREDIENTS	5
4 REQUIREMENTS FOR FOOD ADDITIVES	6
5 REQUIREMENTS FOR BISCUITS	6
6 HYGIENE	7
7 PACKAGING	7
8 MARKING AND LABELLING	7
9 QUALITY ASSURANCE	8
10 SAMPLING	9
11 METHODS OF TEST	11
12 CONFORMITY	11
APPENDIX A – Optional Ingredients	12
APPENDIX B – Determination of Moisture	15
APPENDIX C – Determination of Acid-insoluble Ash	16
APPENDIX D – Determination of Acidity of Extracted Fat	18

BELIZE NATIONAL STANDARD
SPECIFICATION FOR BISCUITS

0 FOREWORD

- 0.1 This standard has been prepared to set general requirements for biscuit manufactured in and imported into Belize.
- 0.2 Biscuits conforming to this standard, which are made under a system of quality assurance, are eligible to use the Belize Standard Mark which is administered by the Belize Bureau of Standards.
- 0.3 This standard sets out the basic requirements for biscuits, their ingredients, and describes methods of sampling and analysis to be used.
- 0.4 This standard is adopted from the CCS 17: 1992 – Caribbean Community Standard For Biscuits.
- 0.5 This standard will be reviewed, and may be revised from time to time to allow for changes in manufacturing technology or in consumer preferences in Belize.

1 SCOPE

- 1.1 This standard prescribes basic and general requirements for biscuits manufactured or imported to be sold in Belize.
- 1.2 This standard does not apply to ‘crackers’.

2 DEFINITIONS

- 2.1 **Biscuits** are baked foods with a crisp or brittle texture, consisting mainly of cereal flour and edible fats with other ingredients and having a low concentration of moisture.
 - 2.1.1 **Coated biscuits** are biscuits which are coated on one or both surfaces with an edible ingredients such as caramel, chocolate, or sugar icing. Coated biscuits may also contain a filling.
 - 2.1.2 **Cream**, for the purpose of this standard, includes a homogeneous mixture of shortening, icing sugar, flavours and food colours, with or without other ingredients.

- 2.1.3 **Filled biscuits** are pairs of biscuits joined by a sandwich filling of edible ingredients such as caramel, cream, flavoured gelatine, fruits, jams, jellies or nuts.

3 REQUIREMENTS FOR INGREDIENTS

3.1 Basic Ingredients

The basic ingredients to be used in biscuits are:

- (a) wheat flour;
- (b) edible fats or oils such as refined vegetable oil, hydrogenated vegetable oil, butter oil, butter, or margarine or shortening derived from vegetable oil, marine oils, or hydrogenated marine oils;
- (c) potable water;
- (d) edible common salt (sodium chloride); and
- (e) sugar.

3.1.1 The basic ingredients listed in 3.1 shall conform to recognised standards or specifications of identity, purity, and safety.

3.2 Optional Ingredients The optional ingredients which may be used in the manufacture of biscuits are classified as:

- (a) cereals and cereal products;
- (b) edible starches;
- (c) enzymes and gluten conditioners;
- (d) food additives;
- (e) fruits, nuts, and their products;
- (f) leavening or raising agents;
- (g) milk or milk products;
- (h) nutrients;
- (i) oil seeds and their products;
- (j) spices;
- (k) sugar; and
- (l) other edible ingredients.

3.2.1 Appendix A lists examples of the optional ingredients, arranged by class.

3.2.2 The optional ingredients shall conform to recognised standards or specifications of identity, purity and safety, suitable for use in human foods. Natural products such as cereals, fruits, nuts, oilseeds, spices shall be of grades suitable for use in biscuit manufacture.

4 REQUIREMENTS FOR FOOD ADDITIVES

- 4.1 Food additives (such as those listed in A-4.0 of Appendix A) shall be used in accordance with good manufacturing practice, and in amounts which, in the final product, do not exceed the limits set by law.
- 4.2 Food additives shall conform to recognized specifications or standards of identity and purity, such as those issued by the FAO/WHO Joint Expert Committee on Food Additives or the FDA of the United States.

NOTE 1 Synthetic food colours should not exceed 0.03% by weight (300 ppm).

NOTE 2 Sodium sulphite bisulphite, or metabisulphite in biscuits should not exceed 500 ppm, calculated as sulphur dioxide.

NOTE 3 The antioxidants, butylated hydroxyanisole and butylated hydroxytoluene (BHA, BHT) may be used on some packaging materials in contact with biscuits, in accordance with good manufacturing practice.

5 REQUIREMENTS FOR BISCUITS

- 5.1 **General Requirements** The biscuits shall be properly baked so that they are crisp, and have a uniform texture and appearance. They shall have an agreeable flavour, typical of their type, free from soapy, bitter or unpleasant after-taste.
- 5.2 Biscuits shall be free from fungus or moulds, traces of insect or rodent infestations, rancid flavours or odours.
- 5.3 Biscuits shall conform to the requirements set out in Table 1 when sampled and tested in accordance with Sections 10.0 and 11.0.

TABLE 1
REQUIREMENTS FOR BISCUITS
 (Section 5.3)

Characteristic	Requirement	Tested method
Moisture, percentage	Maximum 6.0 % m/m	Appendix B
Acid Insoluble Ash	Maximum 0.05% m/m on a dry basis	Appendix C
Acidity of Extracted Fat, as oleic acid	Maximum 1.0% m/m	Appendix D

6 HYGIENE

- 6.1 Biscuits shall be manufactured, packaged, transported and stored in accordance with codes of hygiene practice that are approved by the competent authority.
- 6.2 Particular attention should be given to the prevention of contamination of ingredients, equipment, and packaging materials by dirt, mould, insects, rodents or other vermin, to the personal cleanliness of all staff handling the product between baking and the packaging operation, and to proper house-keeping and sanitation in the manufacturing plant.

7 PACKAGING

- 7.1 Biscuits shall be packed in such a way as to protect them from breakage, contamination, absorption of moisture, and seepage of fat from the biscuits into the packing materials. Packages shall be sealed to prevent attack by insects or other infestation.
- 7.2 Biscuits shall not come into direct contact with packing materials other than greaseproof paper, cellulose film, non-toxic plastic trays, or any other non-toxic approved packaging material, which may be covered with a moisture-proof plastic film or laminated foil, waxed or coated paper.
- 7.3 Biscuits packaged in metal containers, other than those made of tinsplate, shall not come into direct contact with the metal walls.

8 MARKING AND LABELLING

8.1 Biscuits may be marked with any indented or raised design, which should be clearly reproduced and should not convey any misleading information.

8.2 Labelling on retail packages or biscuits shall be in the English language, clearly and prominently displayed and readily legible under customary conditions of purchase and use. Information presented in other languages shall be clearly separated from that in English.

8.2.1 The information carried on the label shall include:

- (a) the brand name or trade name, if any;
- (b) an indication of the type of biscuits (for example, cookies, creams, crispbread, wafers or sandwich),
- (c) the name of the manufacturer or of the person controlling the brand or trade name, together with an adequate postal address;
- (d) the name of the country of origin;
- (e) a complete list of ingredients in descending order of proportion by weight, either by name or using a class name mentioned in Sections 3.1, 3.2; colours, flavours, leavening agents, and preservatives may be described as “approved” or “permitted”;
- (f) the average net contents of each package when packaged in terms of mass in grams (g) or kilograms (kg) (which may also be shown in avoirdupois ounces or pounds), using Arabic numerals.
- (g) where the package contains an assortment of different types of biscuit, the label shall include the word “assorted”, “assortment”, “selection” or an equivalent and any pictorial representation of the contents shall show all types included.

8.2.2 A batch or lot number in clear or in code shall be included on the label, together with tin expiry, date in the form

“Best before 91-05-09”

or

“Use before 91-05-09”

indicating the last date on which the manufacturer can be sure that the product will be acceptable.

8.2.3 Storage instructions may also be included on the label.

8.2.4 Where any nutritional claim is made referring to the biscuits, full nutritional information shall be given.

8.2.5 The word “butter” shall only be used to describe the type of biscuit if butter is the only fat used in manufacture.

9 QUALITY ASSURANCE

9.1 To be eligible for a licence to use the CARICOM Standards Trade Mark the manufacturer shall operate a quality assurance system conforming to the general requirements of International Standard ISO 9002 – 1994, using adequate staff, sampling procedures and testing equipment as approved by the national standards body.

9.2 An approved quality assurance system may include sampling or testing procedures suited to routine or continuous production that differ from those mentioned in Sections 10 and 11.

9.3 It is recommended that biscuits be produced under an approved quality assurance system.

10 SAMPLING

10.1 The following precautions shall be observed in drawing, preparing, storing and handling samples of biscuits intended for testing:

- (a) samples shall be taken in a place protected from exposure to damp air, dust or soot;
- (b) the samples, product, the container for the sample, and any sampling equipment shall be protected against contamination;
- (c) samples consisting of loose biscuits or small retail packs shall be placed in clean, dry airtight containers of metal or glass, or in sealable moisture-proof plastic bags;
- (d) samples shall be stored at room temperature;
- (e) the containers used shall be sealed and marked with the date, time, and place of sampling, and other identifying details.

10.2 Sampling from a Lot

10.2.1 In this section, a lot means all the product in a place or consignment that is drawn from the same manufacturing batch.

If a consignment consists of product from different batches, and they can be separated, each group shall constitute one lot.

- 10.2.2 The number of containers in the lot to be sampled depends on the size of the lot, and shall be in accordance with Table 2.

TABLE 2**NUMBER OF CONTAINERS OF BISCUITS TO BE SAMPLED IN A LOT**

Number of containers in Lot (N)	Number of containers to be sampled (n)
Up to 50	2
51 to 150	3
151 to 300	4
301 to 500	5
501 and over	7

- 10.2.3 The containers to be sampled shall be selected at random, using random number tables. If such tables are not available, choose every r-th container, by starting to count at any one, and counting 1, 2, 3 ...r. where r is the whole number part of the fraction N/n , until n of the containers have been selected.

10.3 Size of Sample drawn from a Lot

- 10.3.1 About 200 g of biscuits shall be taken from each container selected for sampling, which may be loose biscuits or at least two of the retail packs therein.
- 10.3.2 One retail pack (or about 100 g of loose biscuits) from each container shall be set aside in a sealed, labelled sample container for examination and inspection for conformity with Sections 5.1 and 5.2.
- 10.3.3 The remainder of the sample drawn from a container, if in a retail pack, shall be weighed before and after opening and emptying it, and the net contents calculated by difference.
- 10.3.4 Loose biscuits, or the biscuits taken from retail packs, shall be stored in sealed containers, labelled with the number of the container in the lot they were taken, until needed for sample preparation.

10.4 Preparation of Test Sample

- 10.4.1 The biscuits from each sampled container shall be ground separately, as soon as possible. Any coating or filling shall be carefully removed by gentle scraping. Grinding shall be done in a dry atmosphere.
- 10.4.2(a) About 15 g of ground biscuits from each sampled container shall be placed immediately after grinding in a sealed container, labelled appropriately (including the number of the sampled container), for use in the test for moisture content.
 - (b) The rest of the ground biscuit from each sampled container shall be placed in one single container, representing the whole lot, and thoroughly mixed by shaking to produce a composite sample for use in the tests for ash and acidity of extracted fat.
- 10.5 In the event of a dispute between a purchaser and the vendor as to the acceptability of a lot of biscuits, the procedure given above may be followed, using three times the amounts mentioned, to give separate sets of samples for the vendor, the purchaser, and for reference.

11 METHODS OF TEST

- 11.1 Samples of biscuits taken as described in 10.3.2 shall be examined and inspected for conformity to the requirements of sections 5.1 and 5.2.
- 11.2 The samples of ground biscuit representing each of the containers sampled [see 10.4.2 (a)] shall each be tested by the method given in Appendix B for moisture content.
- 11.3 The composite sample of ground biscuit [see 10.4.2(b)] shall be tested by the methods given in Appendices C and D for content of acid-insoluble ash and for acidity of extracted fat.
- 11.4 These methods should also be used in routine quality assurance, but other methods which are more rapid and of equal or comparable accuracy may be used.

12 CONFORMITY

- 12.1 The lot sampled shall be deemed to conform to this standard if:

BZS 7: 1998

- (a) examination of samples taken as in 10.3.2 show that they meet the requirements of 5.1 and 5.2;
- (b) tests for the moisture content of each sample of biscuit taken as in 10.4.2(a) show that each satisfies the requirements of Table 1;
- (c) tests on the composite sample of biscuit for acid-insoluble ash and acidity extracted fat show that it satisfies the requirements of Table 1;
- (d) the average net contents of retail packages is found to be not less than that declared on the label; and
- (e) the labelling of retail packages is in accordance with Section 8.

12.2 Biscuits produced under an approved quality assurance scheme shall be deemed to conform to this standard if test results obtained for routine + samples taken from production satisfy the requirements of Sections 5.1, 5.2 and Table 1, and if the labelling of retail packages is in accordance with Section 8, and if the average net contents is not less than that declared on the label.

APPENDIX A

OPTIONAL INGREDIENTS WHICH MAY BE USED IN THE MANUFACTURE OF BISCUITS

(Section 3.2)

A – 1 Cereals and Cereal products

Barley, barley powder; Malt, malt flour; Oat flour, oat bran; Wheat bran;	Wheat germ; Wheat meal; Whole wheat meal.
--	---

A – 2 Edible Starches

Arrowroot starch; Banana starch; Cassava starch (or tapioca); Corn (maize) starch;	Potato starch; Rice starch; Sweet potato flour; Yam starch.
---	--

A – 3 Enzymes and Gluten Conditioners

Amylases;
 Proteolytic enzymes;
 Sodium bisulphite and metabisulphite.

A – 4 Food Additives

Antioxidants	-	L-ascorbic acid and its sodium and calcium salts; ascorbyl palmitate; citric acid; tartaric acid; natural and synthetic tocopherols; (BHA, BHT, ethoxyquin and octyl, propyl, and dodecyl gallates permitted only as “carried over” from ingredients).
Colours	-	natural and synthetic food colours that are recognised as safe for use in foods under the laws of Canada, the European Community, or the United States of America, or that are included in the Codex Alimentarius issued by FAO/WHO;
Emulsifying agents;		
Flavours	-	natural and synthetic, in solutions or essences.

A – 5 Fruits, Nuts, and their Products

Coconut, creamed, fresh, or desiccated;
Dried fruits - for example, currants, raisins;
Edible nuts - for example, almonds, hazel;
Pectin;
Preserved fruits - jams, jellies, marmalades, candied peel, candied cherries.

A – 6 Leavening or Raising Agents

Active bakers yeast;
Ammonium carbonate or bicarbonate;
Baking powder;
Sodium bicarbonate;
Other chemical leavening agents that are officially approved or generally recognised as safe.

A – 7 Milk or Milk Products

Milk, whole milk, liquid milk;	Casein;
Milk powder, dry milk;	Whey solids;
Skim milk powder, dry skim milk;	Cheese flavours.
Sweetened condensed milk;	
Buttermilk;	

A – 8 Nutrients

Calcium carbonate;	Protein concentrates;
Calcium phosphates;	Vitamins;
Lysine monochloride;	Iron.

A – 9 Oil Seeds and their Products

Edible cottonseed flour;	Peanut butter;
Edible groundnut flour;	Sesame seeds;
Edible soybean flour;	Soya beans.
Peanuts;	

A – 10 Spices

Cardamom;	Ginger
Caraway;	Saffron
Cumin;	Other spices.

A – 11 Sugar

Dextrose (glucose);	Lactose;
---------------------	----------

Fructose;
High fructose starch syrup;

Liquid glucose;
Malt extract;

Honey;
Invert molasses;
Invert Sugar

Molasses;
Sucrose (cane or beet sugar).

A – 12 Miscellaneous

Chocolate;
Cocoa powder;
Coffee powder;

Edible vegetables;
Flavoured vegetables.
Flavoured gelatin

APPENDIX B

(Table 1)

DETERMINATION OF MOISTURE

B – 1 Apparatus

- (a) *Moisture Dish* - made of porcelain, silica, glass or aluminium
- (b) *Oven* - electric, maintained at $105^{\circ} \pm 1^{\circ}\text{C}$.
- (c) *Desiccator*

B – 2 Procedure

Weigh accurately about 5 g of the prepared sample (see 10.4.2) in the moisture dish previously dried in the oven and weighed. Place the dish and the sample in the oven, at a temperature of for $105^{\circ}\text{C} \pm 1$ for 4 hours. Cool in the desiccator and weigh. Repeat the process of drying, cooling and weighing at one-hour intervals until the difference between two consecutive weightings is less than one milligram. Record the lowest mass.

B – 3 Calculation

$$\text{B -3.1 Moisture, percent by mass} = 100 \frac{(w_1 - w_2)}{w_1 - w}$$

Where w_1 = mass, in g, of the dish with material before drying

w_2 = mass, in g., of the dish with material after drying to constant mass

w = mass, in g, of the empty dish

APPENDIX C

(Table 1)

DETERMINATION OF ACID-INSOLUBLE ASH

C – 1 Apparatus

- (a) *Dish* - Silica or porcelain
- (b) *Muffle Furnace* - maintained at $600^{\circ} \pm 20^{\circ}\text{C}$
- (c) *Water Bath*
- (c) **Desiccator**

C – 2 Reagent

Dilute hydrochloric acid, approximately 5N.

C – 3 Procedure

- C -3.11 Weigh accurately about 20 g of the biscuit powder [10.4.2. (b)] in the dish and ash in the muffle furnace at $600^{\circ} \pm 20^{\circ}\text{C}$ until light grey ash is obtained. Remove the dish from the furnace and allow to cool at room temperature. Add 25 ml of hydrochloric acid to the dish, cover with a watch glass and heat on the water-bath for 10 minutes, mix the contents with the tip of a glass rod and filter through Whatman filter paper No.42 or its equivalent. Wash the filter paper with water until the washings are free from acid (test with litmus paper). Return the washed filter paper to the dish for ashing in the furnace. Cool the dish in a desiccator and weigh. Repeat the process of ashing, cooling and weighing until the difference between two successive weightings is less than 1 mg. Filter 25 ml of the hydrochloric acid through a blank filter paper, wash, ash and weigh it as in the case of the insoluble ash. Subtract its mass from that of the insoluble ash of the sample w_1 .

C – 4 Calculation

- C - 4.1 Acid-insoluble ash, per cent by mass (A) = $100 \frac{(w_1 - w)}{w_2}$

where

w_1 = mass, in g, of the dish containing acid-insoluble ash

w_2 = mass of sample

w = mass, in g, of the empty dish in which the sample is taken for ashing.

C - 4.2 Acid-insoluble ash, percent by mass (dry basis) = $\frac{A \times 100}{100 - b}$

Where

A = Acid-insoluble ash percent by mass (B-4. 1)

B = percentage of moisture in the biscuit (A-3. 1).

APPENDIX D

(Table 1)

DETERMINATION OF ACIDITY OF EXTRACTED FAT

D – 1 Apparatus

- (a) *Soxhlet Apparatus* - with a 250 ml flat-bottom flask.

D – 2 Reagents

- (a) *Petroleum Ether* - boiling point 40°C to 80°C.
- (b) *Benzene-Alcohol-Phenolphthalein Stock Solution* - To one litre of distilled benzene add one litre of alcohol or rectified spirit and 0.4 g of phenolphthalein. Mix the contents well.
- (c) *Standard Potassium Hydroxide Solution* -0.05M.

D – 3 Procedure

Weigh accurately about 10g of biscuit powder [10.4.2 (b)] and transfer it to the thimble and plug it at the top with extracted cotton and filter paper. Dry the thimble with the contents for 15 to 30 minutes at 100°C in an oven. Weigh the dry empty Soxhlet flask. Extract the fat in the Soxhlet flask for 3 to 4 hours and evaporate off the solvent in the flask on a water bath. Remove the traces of the residual solvent by keeping the flask in the hot air oven for about half an hour. Cool and weigh the flask, then add 50 ml of benzene-alcohol-phenolphthalein reagent [D-2 (b)] and titrate with potassium hydroxide from a 10 ml burette until a distinct pink colour is formed. If the contents of the flask become cloudy during titration, add another 50 ml of reagent and continue titration. Make a blank titration of the 50 ml reagent and subtract the blank titre from the titre fat.

D – 4 Calculation

- D - 4.1 Acidity of extracted fat (as oleic acid), percent

$$\text{by mass} = \frac{1.41 \times v}{w_1 - w}$$